

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4119	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with (setting\$1 or configurat\$4) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L2	2141	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with (setting\$1 or configurat\$4) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L3	1270	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:32
L4	75	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:33
L5	91677	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34

L6	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L7	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (computer with system\$1) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L8	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:34
L9	5	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 12:44
L10	3	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and configur\$6 and source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 13:04

L11	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and configur\$6 and source\$1 and (item\$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 13:06
L12	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) with (measur\$6 or metric\$1 or model\$1 or analysis) and configur\$6 and source\$1 and (item\$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:02
L13	36	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) same (measur\$6 or metric\$1 or model\$1 or analysis) and configur\$6 and source\$1 and (item\$1 or "110")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:09
L14	8	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) same (measur\$6 or metric\$1 or model\$1 or analysis) and configur\$6 and source\$1 and (item\$1 or "110") and display near5 cost \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 14:18
L15	1	"20040267600" and display near2 (setting\$1 or configurat\$4) same (cost\$3 or fee or fees or charg\$3 or pric\$3) same (measur\$6 or metric\$1 or model\$1 or analysis) and configur\$6 and source\$1 and (item\$1 or "110") and display near5 cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:21

L16	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:22
L17	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:25
L18	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:33
L19	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3) and (life\$5 or power or usage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:37
L20	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3) and (life\$5 or power or usage) and consum\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:39
L21	0	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3) and (life\$5 or power or usage) and consum\$6 same displ\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:40
L22	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3) and (life\$5 or power or usage) and consum\$6 same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:40

L23	1	"20040267600" and (many or several or multiple or plurality) with configurat\$5 and (evaluat\$5 or analyz\$6 or analysis or select\$4 or choos\$3) and (life\$5 or power or usage) and consum\$6 same display\$3 and (metric\$1 or model\$3 or parameter\$1 or measur\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 15:58
L24	1	"20040267600" and patterns same display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:01
L25	1	"20040267600" and cost\$ same predetermin\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 16:06
L26	1	"20040267600" and cost\$ same predetermin\$3 and (weight\$3 or rank\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:18
L27	1	"20040267600" and cost\$ same predetermin\$3 and (weight\$3 or rank\$3) and setting\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:23
L28	2	"20040267600" and (generat\$3 or displaying)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:27
L29	1	"20040267600" and (generat\$3 or displays)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:27
L30	2	"20040267600" and display\$3 same result\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:30

L31	1	"20040267600" and data adj store	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:35
L32	1	"20040267600" and data adj store and window\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:36
L33	0	"20040267600" and data adj store and window\$1 same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:42
L34	0	"20040267600" and data adj store same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:42
L35	1	"20040267600" and data adj store and cost\$3 same (window\$1 or icon\$1 or screen\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:47
L36	1	"20040267600" and (graph\$6 or visual\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 17:57
L37	1	"20040267600" and display \$3 same configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:05
L38	1	"20040267600" and (operat \$5 or usage) same cost\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:15
L39	2	"20040267600" and interface \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:55

L40	0	"20040267600" and display same operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:59
L41	1	"20040267600" and display same graphic\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 18:59
L42	1	"20040267600" and processor \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:01
L43	0	"20040267600" and (lifetime)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L44	0	"20040267600" and (life)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L45	0	"20040267600" and (life\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:04
L46	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same life \$6 near3 (metric\$1 or model \$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:07

L47	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (life\$6 or lifetime or lifecycle\$1) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:07
L48	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (life\$6 or lifetime or lifecycle\$1) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:11
L49	3	L48 not L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:11
L50	1	"20050240538" and lifetime	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:15
L51	1	"20040267600" and (usage or pixel\$1 or historical\$2 or past or predict\$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:17
L52	4	"2004107095"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:21
L53	0	"2004107095" and display\$3 and metric41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:24



L54	0	"2004107095" and display\$3 same (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:25
L55	0	"2004107095" and display\$3 and (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:25
L56	2	"20040236587"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:27
L57	1	"20040236587" and display \$3 same (metric\$1 or model \$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:28
L58	1	"20040236587" and display \$3 same (lifetime or lifecycle or life\$6) and (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:30
L59	0	"2004107095" and (usage or pixel\$1 or historical\$2 or past or predict\$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:35
L60	0	"2004107095" and life same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:35
L61	0	"2004107095" and "504"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:36
L62	0	"2004107095" and analysis same portion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:37

L63	175	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) and (life\$6 or lifetime or lifecycle\$1) with (metric\$1 or model\$1 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:43
L64	22	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) and (life\$6 or lifetime or lifecycle\$1) with (metric\$1 or model\$1 or analysis) with display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:43
L65	0	"20040267600" and display same usage same (pixel\$1 or historical\$2 or past or predict \$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:49
L66	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and display same usage same (pixel\$1 or historical\$2 or past or predict \$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:50
L67	4	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and display same lifetime same (pixel\$1 or historical\$2 or past or predict \$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:51

L68	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and display same lifetime same usage same (pixel\$1 or historical\$2 or past or predict\$4) same display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:51
L69	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and display same lifetime with usage with computer with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L70	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and lifetime with usage with computer with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L71	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) same (computer with system\$1) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (metric\$1 or model\$1 or analysis) and lifetime with usage with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52

L72	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) and (metric\$1 or model\$1 or analysis) and lifetime with usage with display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:52
L73	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near5 (setting\$1 or configurat\$4) and (metric\$1 or model\$1 or analysis) and lifetime with usage with display\$3 and (cost\$3 or fee or fees or charg\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 19:54
L74	0	"20050240538" and oled41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L75	0	"20050240538" and oled41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L76	1	"20050240538" and oled\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:04
L77	0	consolidating near2 mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:14
L78	0	consolidating with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15
L79	0	consolidation with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15

L80	1	consolidated with mailpieces	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:15
L81	0	"7333080" and lif\$6 with model\$3 and oled\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L82	0	"7333080" and lif\$6 with model\$3 and oled\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L83	0	"7333080" and lif\$6 same model\$3 and oled\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:24
L84	0	"7333080" and lif\$6 same metric\$1 and oled\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:25
L85	0	"7333080" and lif\$6 same analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:25
L86	0	"7333080" and (life or lifetime or lifecycl\$3) same analysis	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:26
L87	2	"7333080" and (life or lifetime or lifecycl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/05 20:26

L88	38	"20020015110"   "20020024618"   "20020135312"   "20020186214"   "20020191130"   "20020196208"   "20030011613"   "20030103058"   "20040051724"   "20040113875"   "20040178743"   "20040178973"   "20040178974"   "20040195963"   "20040222999"   "20060044226"   "3813686"   "4800375"   "5233385"   "5526016"   "5563621"   "5638084"   "5929843"   "6075514"   "6097367"   "6133692"   "6262710"   "6320325"   "6366025"   "6366077"   "6388644"   "6411306"   "6453067"   "6483245"   "6498952"   "6570584"   "6693611"   "6950115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/05 20:38
S1	2516	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display with configurat\$4 and (cost\$3 or fee or fees or charg \$3 or pric\$3) same (metric\$1 or model\$3 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:27
S2	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and display near3 configurat\$4 same (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:27
S3	2	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) same (metric\$1 or model\$3 or analysis) with display near3 configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:29

S4	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) with display near3 (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:31
S5	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) with display43 with (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:31
S6	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) and display43 with (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:32
S7	305	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) and display\$3 with (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:32
S8	169	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) and display\$3 with (variety or many or plurality) with configurat\$4 and (power or usage or cost or lifetime) same (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:33

S9	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same (metric\$1 or model\$3 or analysis) and display\$3 with (variety or many or plurality) with configurat\$4 and (power or usage or cost or lifetime) same (metric\$1 or model\$3) and "705"/\$).	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:34
S10	55	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$3 with (variety or many or plurality) with configurat\$4 and (power or usage or cost or lifetime) and (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:34
S11	48	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$3 with (variety or many or plurality) with configurat\$4 and (power or usage or cost or lifetime) and (metric\$1 or model\$3) and (visual\$1 or graphic\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:37
S12	2	"20030156074"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:42
S13	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$3 with (variety or many or plurality) with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:46



S14	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$3 with (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:47
S15	195	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 same (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:48
S16	14	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and usage same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 13:49
S17	1457	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:00
S18	5	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and usage with (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 with configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 14:01
S19	0	("20030156074" or "6801811") and (display\$1 or screen\$1) same usage same (fee or fees or cost\$3 or charg\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:07
S20	0	("20030156074" or "6801811") and (display\$1 or screen\$1) same configuration \$1 and usage same (fee or fees or cost\$3 or charg\$3 or pric\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:08

S21	77	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display\$1 same (variety or many or plurality) same configurat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:10
S22	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and ("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display\$1 same (variety or many or plurality) same configurat\$4 and (power or cost or usage) near5 (metric \$1 or model\$3 or index\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:11
S23	0	"Ranganathan.in", and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
S24	0	"Ranganathan.in" and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:14
S25	339	Ranganathan.in. and (energy or display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:15
S26	2	Ranganathan.in. and (energy or display) and configuration same display and usage same (fee or fees or cost\$3 or pric\$3 or cost\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:16
S27	12818	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power same aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:17

S28	108	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
S29	16	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and display with screen\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:18
S30	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display \$1 same (variety or many or plurality) same configurat\$4 and (power or cost or usage) near5 (metric\$1 or model\$3 or index\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:19
S31	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) near5 usage and display \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20
S32	1	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and power-aware and("345"/\$\$ or "705"/\$\$) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same usage and display \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:20
S33	9	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same usage and display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:22

S34	6	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S35	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same screens same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S36	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same screen\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:23
S37	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) with usage and display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:24
S38	0	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (power-aware or energy-aware) and (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S39	7279	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 same configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51

S40	393	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S41	432	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:51
S42	30	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with display\$1 near3 configuration\$1 and "705"/\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 15:52
S43	6711	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (using or usage or operat\$3) with display\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:02
S44	2481	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) with (using or usage or operat\$3) near3 display\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03
S45	1014	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg\$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:03

S46	191	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and display near2 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:04
S47	19	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near4 (using or usage or operat\$3) near3 display\$1 and display near2 configuration\$1 and "705"/\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:05
S48	2804	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:11
S49	34433	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$4 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12
S50	28434	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near3 (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:12
S51	16500	{@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13

S52	10926	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) and display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:13
S53	547	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (information or data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
S54	7	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (information or data) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:14
S55	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (advertisement \$1 or information or data) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:19
S56	10	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near (advertisement \$1 or information or data or billboards) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:22

S57	21	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (using or usage or operat\$3) near2 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 near3 (advertisement\$1 or information or data or billboards) and cost with (metric\$1 or model\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:23
S58	2	"20050240538" and source\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:27
S59	24150	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) same display\$1 same (information or data or advertisement\$1) same (source\$1 or image or color \$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31
S60	10244	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) with display\$1 same (information or data or advertisement\$1) same (source\$1 or image or color \$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:31
S61	1668	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (cost\$3 or fee or fees or charg \$3 or pric\$3) near3 display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color \$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:32



S62	3256	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) same (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
S63	660	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) same (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:33
S64	390	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:34
S65	66	(@ad<"20040423" or @pd<"20040423" or @rlad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:35

S66	2710837	(@ad<"20040423" or @pd<"20040423" or @riad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ aaand configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
S67	29	(@ad<"20040423" or @pd<"20040423" or @riad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:43
S68	37	(@ad<"20040423" or @pd<"20040423" or @riad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:46
S69	37	(@ad<"20040423" or @pd<"20040423" or @riad<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:48

S70	61	(@ad<"20040423" or @pd<"20040423" or @rld<"20040423" or @prad<"20040423") and (determin\$3 or calculat\$4 or measur\$6) near4 (cost\$3 or fee or fees or charg\$3 or pric\$3) same display\$1 with (information or data or advertisement\$1) with (source\$1 or image or color\$1 or location\$1) and "705"/\$\$ and (configur\$6 or program\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 16:50
S71	3	"0182025"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:03
S72	20631	lee.in. and random	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:18
S73	46	lee.in. and random with percentage\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:18
S74	13	lee.in. and random near2 percentage\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:19
S75	0	lee.in. and random near2 percentage\$1 and auction\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 17:19

12/ 5/ 08 8:41:36 PM

C:\Documents and Settings\fnelson1\My Documents\EAST\Workspaces\10830218b display configuration.wsp